



Switching Relays & Accessories


Easy, Economical Zoning with Circulators



AR822- II
Single Zone Relay*



AR861-2II/3II
2 & 3 Zone Relay with Priority*



IR882
Isolation Relay



ARM-2P/3P/4P/6P
Switching Relays with Priority*



AD-1/4
ARM Control Expansion Module*




DPM-2
Outdoor Reset Control

The Difference is in the Details




*Indicates a CSA certified model.

AR822-II Single Zone Relay



- Single Zone
- Plug-in replacement relay
- Auto-reset Electronic fuse protection
- eliminates nuisance service calls
- DPDT
- 15 VA Transformer, Full 7.2 Amp, 1/3 hp Relay load rating

IR882* Isolation Relay



- Up to Three Zones
- For use with power robbing programmable thermostats or 3-wire (R, C, W)
- Interfaces with solid state thermostats
- Modules can be daisy chained for additional thermostats
- SPST

*Requires additional transformer.

AR861-2II, AR861-3II Two & Three Zone Relays




- 2-Zone AR861-2II or 3-Zone AR861-3II
- Plug-in replacement relays
- Switchable Priority
- perfect for indirect water heaters or priority zones
- Auto-reset Electronic fuse protection
- eliminates nuisance service calls
- 15 VA Transformer, Full 7.2 Amp, 1/3 hp Relay load rating



**Factory Tested for Reliability
and Performance!**

ARM-2P, ARM-3P, ARM-4P, ARM-6P

Switching Relays



- (1) ARM-2P uses 20 VA Transformer.
 (2) Requires dry contact type thermostat or use IR822 Isolation Relay.

- 2, 3, 4 or 6 Zone Controls
- Expandable to 15 zones with plug-in expansion modules (AD-1 or AD-4)
- 5-second time delay for boiler shut-off
- Priority Safety timer - ensures other zones get heat every 30 minutes & prevents freeze-ups
- Electronic fuse - auto reset
- 30 VA Transformer⁽¹⁾⁽²⁾ - handles up to 15 zones 7.2 Amp, 1/3 hp relay rating
- Separate XX (isolated switch) & ZC/ZR relays - protect Boiler Aquastat
- Relay diagnostic light - seen through enclosure cover
- Premium plug-in replacement relays
- Clearly marked terminals with clamping plates
- Switchable priority
- 24 Vac Transformer terminals

AD-1, AD-4

ARM Control Expansion Module




- AD-1 module provides 1 additional zone
- AD-4 module provides 4 additional zones
- 18" connecting cable included

5-Year Limited Warranty
Strongest Protection Available



DPM-2 Outdoor Reset Control

The DPM-2 monitors outside temperature and adjusts boiler water temperature to match the heating demand, maximizing efficiency and reducing boiler usage.



- Simple plug 'n play data port ribbon connection when used in conjunction with any Argo Zone Relay Control
- Or can work with most competitors' relays
- Reduces heating costs an average of 10% - 15% a year (depending on climate).

Standard Equipment:




Outdoor Sensor With Shield



Strap-on Supply Water Sensor



Data Port Ribbon Cable Connector



ECRinternational

2260 Dwyer Avenue, Utica, NY 13501
Tel. 315 797 1310
www.ecrinternational.com

All specifications subject to change without notice.
©2025 ECR International, Inc.
PN 240004977 REV. [09/10/25]